

42U Adjustable Depth Open Frame 4 Post Server Rack Cabinet - Flat Pack w/ Casters, Levelers and Cable Management Hooks

StarTech ID: 4POSTRACK42



The 4POSTRACK42 42U Server Rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 42U rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40in) that make it easy to adapt the rack to fit your equipment.

This durable 4-post rack supports a static loading capacity of up to 1320lbs (600kg), and offers compliance with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494) for a universal design that's compatible with most rack equipment.

For a complete rack solution that saves you time and hassle, the rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securing the rack to the floor if needed, providing you with many options to customize the rack to fit your environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Audio/Video editing room, radio or television studio broadcast rackmount equipment



Features

- 42U Open frame design
- Adjustable mounting depth from 22 40in
- Supports a static loading capacity of 1320lbs (600kg)
- Easy-to-read rack Unit (U) and depth adjustment markings
- Casters, leveling feet and cable management hooks included
- Pre-drilled holes to secure the rack directly to the floor
- Easy to assemble
- · Flat-packed for easy shipping





Technical Specifications

Warranty 2 Years
Rack Type 4-Post
Casters Included
U Height 42U

Frame Type Open Frame

Front Door Type Open Key Lock No

Industry Standards DIN 41494
Industry Standards EIA/ECA-310-E
Industry Standards IEC 60297-3-100

Fan(s)

Weight Capacity 1326 lb [600 kg]

Color Black Enclosure Type Steel

Internal Width 18.3 in [465 mm] Internal Height 73.7 in [1871.5 mm] External Width 23.6 in [600 mm] External Height 77.6 in [1971 mm] **External Depth** 26.1 in [661.8 mm] **Product Weight** 85.1 lb [38.5 kg] Maximum Mounting Depth 40 in [1016 mm] Minimum Mounting Depth 22 in [558.8 mm] Height with Casters 80.5 in [2044 mm]

Flat Pack Yes

Included in Package

Shipping (Package) Weight 90.6 lb [41 kg]

Included in Package 2 - Left Vertical Rail 2 - Right Vertical Rail Included in Package 2 - Base Bracket Included in Package 8 - Corner Section Included in Package 4 - Center Section Included in Package Included in Package 2 - Top Bracket Included in Package 48 - M8 Bolt Included in Package 48 - M8 Washer

1 - M6 (10mm) Wrench



Hard-to-find made easy®

Spec Sheet

Included in Package	50 - M6 Phillips Head Screw
Included in Package	24 - Cable Management Hook
Included in Package	24 - Hook Mounting Screw
Induded in Deekees	1 Contara

Included in Package 4 - Casters

Included in Package 4 - Leveling Feet Included in Package 16 - M6 Screw

Included in Package 16 - M6 Flat Washer Included in Package 16 - M6 Flange Nut Included in Package 4 - Grounding Wires

Certifications, Reports and Compatibility



