

## 2 Port PCI Parallel Adapter Card - EPP/ECP

StarTech ID: PCI2PECP



The PCI2PECP 2 Port EPP/ECP PCI Parallel Adapter Card can be installed in an available PCI slot, adding two IEEE 1284 ports to your PC and supporting data transfer speeds of up to 1.5 Mbps (up to 3 times faster than built-in parallel ports).

Installing the EPP/ECP parallel adapter card is easy, with support for Windows® 8, 7, Vista, XP, ME, 98SE, 95, DOS, Windows Server® 2012, and Linux. Plus, IRQ sharing and plug and play capabilities guarantee convenient, hassle-free connections to any parallel peripheral.

A complete dual profile solution, this parallel adapter card provides both a standard bracket and a low-profile/half-height bracket for adapting to slimline or small form factor system applications.

Backed by a StarTech.com lifetime warranty and free lifetime technical support.

## **Applications**

 Connects any parallel peripheral including printers, scanners, CD-R/RWs, Zip® drives, and memory card readers

## **Features**

- Includes half-height/low profile mounting bracket
- Easy plug and play installation
- Data transfer rates of up to 1.5 Mbps
- Compatible with Linux and all versions of Windows® including Windows® XP
  - IDO abaring aliminates conflicts between multiple cards





## **Technical Specifications**

Warranty Lifetime

Ports 2

Interface Parallel

Bus Type PCI / PCI-X (5 / 3.3V)

Card Type Standard Profile (LP bracket incl.)

Port Style Integrated on Card

Industry Standards IEEE-1284

Chipset ID ASIX/MosChip - MCS9815CV

Connector Type(s) 1 - PCI / PCI-X (Universal 3.3 & 5V; 32-bit) Male

External Ports 2 - DB-25 (25 pin; D-Sub) Female

Maximum Data Transfer Rate 1.5 Mbps

Supported Protocols EPP, ECP, SPP, BPP, PS2

OS Compatibility Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64), ME, 98SE,

95, DOS

Windows Server® 2012, 2008 R2, 2003

Linux

System and Cable

Requirements

Unused PCI slot

Product Length 4.7 in [120 mm]
Product Width 0.8 in [20 mm]
Product Height 4.7 in [120 mm]
Product Weight 2.5 oz [70 g]
Shipping (Package) Weight 0.5 lb [0.2 kg]

Included in Package 1 - 2 Port PCI Parallel Card Included in Package 2 - Low Profile Brackets

Included in Package 1 - Ribbon Cable w/DB25F Plate

Included in Package 1 - Driver CD

Included in Package 1 - Instruction Manual





**Certifications, Reports and Compatibility** 















