

## 4 Port 1U Rackmount USB KVM Switch with OSD

StarTech ID: SV431DUSBU



The SV431DUSBU 4 Port 1U Rack Mountable USB KVM Switch with OSD lets you control multiple USB based computers from a single console (USB keyboard, USB mouse, monitor).

Convenient push-button and hot-key controls provide quick, reliable switching between connected computers while manual and auto-scan switching modes and an On Screen Display (OSD) offer additional control options.

Designed to ensure maximum space efficiency, the USB KVM switch features a slim 1U design that fits neatly into a server equipment rack/cabinet (with optional mounting bracket <a href="SV431RACK">SV431RACK</a>) and offers rear cable connections to eliminate cable tangles and minimize workspace disruption.

Backed by a StarTech.com 3-year warranty and free lifetime technical support.

### **Applications**

- Add single console administration to your Co-location/ISP facility saving you time and money
- Create a scalable, streamlined access solution in your Datacenter or Server Farm
- Perfect for manufacturing line computer control, simplifying access to multiple systems
- Great for PC test/burn-in computer control saving the desk space required for multiple monitors, keyboards and mice
- Ideal for control of multiple PCs in a QA testing environment



#### **Features**

- OS Independent No drivers or software required
- Auto-scan function automatically selects computer sequentially
- Front panel push-button and Hotkey switching allow easy computer access
- Identifies and selects computers by the names assigned using the OSD
- USB console connections
- Rename connected computers for easy identification
- OSD security allows each PC to be password protected
- Plug-and-play system configuration
- Rugged, all-metal 1U chassis for use in harsh environments and space-saving cabinets
- Supported Wide Screen Resolutions: 1920x1200, 1920x1080, 1680x1050, 1400x1050, 1440x900, 1360x768
- Supported 4: 3 Resolutions: 1920x1440, 1600x1200, 1280x1024, 1024x768



## **Technical Specifications**

Warranty 3 Years

Audio No
KVM Ports 4
PC Interface USB
PC Video Type VGA
Multi-Monitor No

Rack-Mountable Optional

Cables Included No Daisy-Chain Yes

Console Interface(s) 1 - VGA (15 pin; High Density D-Sub) Female

Console Interface(s) 2 - USB A (4 pin) Female

Host Connectors 4 - VGA (15 pin; High Density D-Sub) Female

DVI Support No IP Control No

Maximum Analog Resolutions 1920 x 1440@60Hz (1920 x 1200@60Hz - Wide Screen)

Wide Screen Supported Yes Maximum Number of Users 1

Port Selection Support Push Button, Hotkeys, and OSD (On Screen Display)

OS Compatibility OS independent; No software or drivers required

Color Black Enclosure Type Steel

Product Width 8.7 in [220 mm] Product Height 1.7 in [43 mm] Product Depth 5.1 in [130 mm] **Product Weight** 52.9 oz [1500 g] **LED Indicators** 1 - Green - Power LED Indicators 4 - Green - Online PC LED Indicators 4 - Red - Selected PC Power Source AC Adapter Included

Input Voltage 110 ~ 240 AC

Input Current 0.2A
Output Voltage 9 DC
Output Current 0.6A
Center Tip Polarity Positive





Shipping (Package) Weight 3.6 lb [1.6 kg]

Included in Package 1 - StarView 4 Port KVM Switch

Included in Package 1 - Set Rubber Feet

Included in Package 1 - Universal Power Adapter (NA/UK/EU)

Included in Package 1 - User Manual

# **Certifications, Reports and Compatibility**







