

Gigabit PCI Network Card

32-bit 10/100/1000 Mbps Ethernet LAN PCI Card

Part No.: **522328**

The Gigabit PCI Network Card is a high-performance network adapter designed to fit into the PCI slot of your desktop computer. It allows you to upgrade your computer to support Gigabit network speeds without changing your copper network cabling scheme to fiber optic.

Faster Throughput

The Gigabit PCI Network Card supports throughput rates of up to 2 Gbps when running in full duplex mode. This is ideal for resource-intensive CAD/CAM, client-server database, multimedia, pre-press, advertising graphics, and server and mission-critical applications.

Auto-Negotiation

The Gigabit PCI Network Card will automatically detect the network speed that the LAN switch port is set to and run at the same speed. The card supports 10Base-T Ethernet, 100Base-TX Fast Ethernet and 1000Base-T Gigabit Ethernet.

Full Duplex

When running in full duplex mode, the Gigabit PCI Network Card provides the following throughput rates: 20 Mbps (10Base-T Ethernet), 200 Mbps (100Base-TX Fast Ethernet) and 2 Gbps (1000Base-T Gigabit Ethernet).

Built-in Diagnostics

The Gigabit PCI Network Card comes standard with crossover detection and auto-correction capabilities that make installation and maintenance a snap.

Remote Power On

The Wake-On-LAN feature allows you to power on your desktop PC from anywhere on the network.

Gigabit PCI Network Card

32-bit 10/100/1000 Mbps Ethernet LAN PCI Card

Part No.: **522328**

Features:

- Supports Gigabit speeds over existing network cable
- Does not require fiber optic cabling to run Gigabit speeds
- Supports 32-bit PCI V2.2, 2.1 and 2.0, 33/66 MHz
- Full duplex speeds (20 Mbps, 200 Mbps, 2000 Mbps)
- Full duplex flow control (IEEE 802.3x)
- 8 kBytes transmit buffer and 64 kBytes receive buffer
- Wake-On-LAN (WOL) support
- Supports power-down/link-down power saving
- Crossover detection and auto-correction
- Supports the most popular operating systems: Windows XP, Vista and Windows 7
- Three-Year Warranty

Specifications:

Network

- » IEEE 802.3 (10Base-T Ethernet)
- » IEEE 802.3u (100Base-TX Fast Ethernet)
- » IEEE 802.3ab (1000Base-T Gigabit Ethernet)
- » IEEE 802.3x (flow control for full duplex mode)

General

- » Media support:
 - 10Base-T Cat3, 4, 5 UTP/STP RJ45
 - 100Base-TX Cat5 UTP/STP RJ45
 - 1000Base-T Cat5e/6 UTP/STP RJ45
- » Compliant with 32-bit PCI V2.2, 2.1, 2.0
- » Bus speed: 66 or 33 MHz
- » Realtek RTL8110SC chipset
- » FCC and CE compliance

LEDs

- » 1000 Mbps link and activity
- » 100 Mbps link and activity

Environmental


- » Dimensions: 15 (H) x 130 (W) x 157 (D) mm (0.6 x 5.1 x 6.1 in.)
- » Weight: 56.7 g (2 oz.)
- » Operating temperature: 0 – 50°C (32 – 122°F)
- » Storage temperature: 20 – 70°C (4 – 158°F)
- » Operating humidity: 10 – 90%, non-condensing
- » Storage humidity: 5 – 95%, non-condensing

Supported OS


- » Windows 2000
- » Windows 2003 Server
- » Windows XP
- » Windows Vista
- » Windows 7

Package Contents

- » Gigabit PCI Card
- » Quick install guide
- » Setup CD



For more information on INTELLINET NETWORK SOLUTIONS products, consult your local dealer or visit www.intellinet-network.com.



COPYRIGHT © INTELLINET NETWORK SOLUTIONS

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, use and disclosure of the contents herein are prohibited, unless specifically authorized.