


15U Wall-Mount Server Rack - 12 in. Depth

Product ID: RK15WALLO



This open-frame wall-mount server rack provides 15U of storage, allowing you to save space and stay organized. The equipment rack can hold up to 198 lb. (90 kg).

Easy, hassle-free installation

The network rack is 12 in. (30.4 cm) deep, so it's perfect for smaller spaces. It's easy to assemble and features mounting holes that are spaced 16 in. apart, making it suitable for mounting on almost any wall, based on common wall-frame stud spacing. The wall-mount rack comes in a flat-pack making it easy to transport and reducing your cost in shipping.

Free up space

You can mount the open-frame rack where space is limited, such as on a server room wall, office, or above a doorway, to expand your workspace and ensure your equipment is easy to access.



Keep your equipment cool and accessible

By having an open frame the server rack provides passive cooling to equipment. Additionally, the open frame provides easy access and configurability to your equipment, allowing you to maximize productivity.

The RK15WALLO is backed by a StarTech.com 5-year warranty and free lifetime technical support.



Certifications, Reports and Compatibility



Applications

- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or superstore location
- Mount audio/video broadcast or distribution components
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization

Features

- Save space by mounting your equipment on the wall
- Easy installation with mounting holes spaced 16 in. apart to match standard wall studs
- Comes in a flat-pack making it easy to transport
- Open frame provides passive cooling for equipment



Hardware Adjustable Mounting Rails No Cable Management No Fan(s) No Frame Type Open Frame Industry Standards EIA-310-D Ladder Offset 0.4 in [10 mm] Ladder Type G-Shape Mounting Holes Square Number and Type of Included Cage Nuts 60 - M6 Rack Type 2-Post Style Wall-Mount U Height 15U U Markings Yes Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 30.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Weight 27.6 lb [12.5 kg] Product Weight 28.0 in [50.4 cm]			
Cable Management No Fan(s) No Frame Type Open Frame Industry Standards EIA-310-D Ladder Offset 0.4 in [10 mm] Ladder Type G-Shape Mounting Holes Square 60 - M6 Nuts Rack Type 2-Post Style Wall-Mount U Markings Yes Wall-mount U Markings Yes Wallmountable Yes Wall-mount U Markings Yes Wall-mountable Yes		Warranty	5 Years
Fan(s) No	Hardware	Adjustable Mounting Rails	No
Frame Type		Cable Management	No
Industry Standards EIA-310-D Ladder Offset 0.4 in [10 mm] Ladder Type G-Shape Mounting Holes Square Number and Type of Included Cage Nuts Rack Type 2-Post Style Wall-Mount U Height 15U U Markings Yes Wallmountable Yes Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 11.5 in [29.2 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 27.6 lb [12.5 kg] Product Weight (Package) Weight 19.8 in [50.4 cm] Product Weight 27.6 lb [12.5 kg] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 screws 60 - M6 cage nuts		Fan(s)	No
Ladder Offset 0.4 in [10 mm] Ladder Type G-Shape Mounting Holes Square Number and Type of Included Cage Nuts Rack Type 2-Post Style Wall-Mount U Height 15U U Markings Yes Wallmountable Yes Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 15.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Frame Type	Open Frame
Ladder Type G-Shape		Industry Standards	EIA-310-D
Mounting Holes Number and Type of Included Cage Nuts Rack Type 2-Post Style Wall-Mount U Height U Markings Wallmountable Performance Weight Capacity (Stationary) Physical Characteristics External Height Internal Depth Internal Depth Internal Height Internal Width Internal Wid		Ladder Offset	0.4 in [10 mm]
Number and Type of Included Cage Nuts Rack Type 2-Post Style Wall-Mount U Height 15U U Markings Yes Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] External Height 10.5 in [77.5 cm] External Width 10.5 in [29.2 cm] 10.5 in [66.8 cm] 10.5 in [66.8 cm] 10.5 in [66.8 cm] 10.5 in [77.5 cm] 1		Ladder Type	G-Shape
Nuts Rack Type Style Wall-Mount U Height U Markings Yes Wallmountable Yes Performance Weight Capacity (Stationary) Physical Characteristics External Height 15.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Weight 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Mounting Holes	Square
Style U Height U Height 15U U Markings Yes Wallmountable Yes Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 19.8 in [50.4 cm] Internal Depth Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 screws			60 - M6
U Height U Height U Markings Yes		Rack Type	2-Post
U Markings Yes		Style	Wall-Mount
Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 30.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts 60 - M6 cage nuts		U Height	15U
Performance Weight Capacity (Stationary) 198.9 lb [90 kg] Physical Characteristics External Height 30.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts 60 - M6 cage nuts		U Markings	Yes
Physical Characteristics External Height 30.5 in [77.5 cm] External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts 60 - M6 cage nuts		Wallmountable	Yes
Characteristics External Width 19.8 in [50.4 cm] Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts	Performance	Weight Capacity (Stationary)	198.9 lb [90 kg]
Internal Depth 11.5 in [29.2 cm] Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts 60 - M6 cage nuts	-	External Height	30.5 in [77.5 cm]
Internal Height 26.3 in [66.8 cm] Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] Included in Package 60 - M6 screws 60 - M6 cage nuts		External Width	19.8 in [50.4 cm]
Internal Width 18.3 in [46.5 cm] Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Internal Depth	11.5 in [29.2 cm]
Maximum Mounting Depth 12 in [30.5 cm] Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Internal Height	26.3 in [66.8 cm]
Product Height 30.5 in [77.5 cm] Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Internal Width	18.3 in [46.5 cm]
Product Length 12 in [30.5 cm] Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Maximum Mounting Depth	12 in [30.5 cm]
Product Weight 27.6 lb [12.5 kg] Product Width 19.8 in [50.4 cm] Packaging Information What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Product Height	30.5 in [77.5 cm]
Product Width 19.8 in [50.4 cm] Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Product Length	12 in [30.5 cm]
Packaging Information Shipping (Package) Weight 28.7 lb [13 kg] What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Product Weight	27.6 lb [12.5 kg]
Tinformation What's in the Box Included in Package 60 - M6 screws 60 - M6 cage nuts		Product Width	19.8 in [50.4 cm]
60 - M6 cage nuts		Shipping (Package) Weight	28.7 lb [13 kg]
	What's in the Box	Included in Package	60 - M6 screws
60 - washers			60 - M6 cage nuts
			60 - washers



- 16 assembly screws
- 2 vertical rails
- 2 horizontal brackets
- 1 instruction manual

Product appearance and specifications are subject to change without notice.