Travel A/V adapter: 3-in-1 DisplayPort to VGA DVI or HDMI converter

StarTech ID: DP2VGDVHD



The DP2VGDVHD DisplayPort to VGA, DVI or HDMI converter offers a compact 3-in-1 solution for connecting your DP-equipped desktop, laptop or Ultrabook™ computer to a VGA, DVI, or HDMI display.

Compatible with almost any display, television or projector, this versatile converter provides the ideal plug-andplay solution for travel or BYOD (Bring Your Own Device) applications around the office. With three of the most common interfaces to choose from, the converter equips you to walk into any boardroom ready to connect to an available display device, even if you don't know what connection ports will be available.

For seamless connections from your DisplayPort-equipped computer, the converter supports video resolutions up to 1920x1200/1080p, so you can convert a DisplayPort video source to VGA, HDMI, or DVI without sacrificing video quality.

The DisplayPort converter offers a small footprint and lightweight design that makes it easy to keep on hand without it taking up too much space in your laptop bag.

The DP2VGDVHD is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Applications

- Keep the adapter with you while traveling, to connect to virtually any display
- Connect your BYOD laptop/Ultrabook to a provided HDMI, DVI, or VGA display at work
- Connect a DVI, VGA, or HDMI display to your DisplayPort computer, to use as a secondary monitor

Features

- Three-in-one adapter DP to: VGA, DVI, HDMI
- Support for video resolution up to 1920x1200/1080p
- Plug-and-play installation
- Small footprint
- Portable, lightweight construction

Technical Specifications

Warranty 2 Years

Audio 5.1 Surround Sound (Video source and destination dependant)

Specifications

Maximum Analog 1920x1200/1080p

Resolutions

Maximum Digital 1920x1200/1080p

Resolutions

Wide Screen Yes

Supported

Adapter Style Adapter

Audio Yes

Converter Type Travel A/V Adapters

Output Signal DisplayPort

Output Signal HDMI

Connector A 1 - DisplayPort (20 pin) Latching Male

Connector B 1 - DVI-D (25 pin) Female
Connector B 1 - HDMI (19 pin) Female

Connector B 1 - VGA (15 pin; High Density D-Sub) Female

NoteOnly one video output is supported on the video adapter at a time. If multiple connections

are made, only one of the outputs will function.

Product Height 15 mm [0.6 in]
Product Length 284 mm [11.2 in]

Product Weight 56 g [2 oz]
Product Width 45 mm [1.8 in]
Humidity 10~85% RH

Operating 0°C to 70°C (32°F to 158°F)

Temperature

Storage -10° C to 80° C (14° F to 176° F)

Temperature

Shipping (Package) 0.1 kg [0.2 lb]

Weight

Included in 1 - DisplayPort to HDMI/VGA/DVI Adapter

Package

Included in 1 - Installation Guide

Package

Certifications, Reports and Compatibility







