

## **Universal Laptop USB Docking Station with VGA Audio Ethernet**

StarTech ID: USBVGADOCK2



The USBVGADOCK2 is a combination USB VGA adapter and 4-in-1 docking station that converts a single USB 2.0 port into multiple connection ports, including: a VGA port, 10/100 RJ45 network connection, dual (3.5mm phono) audio ports and four additional USB 2.0 ports.

Compatible with a broad range of operating systems, including Microsoft Windows® 7, the USB VGA adapter/docking station supports 1600x1200 (32-bit) display resolutions for connected VGA monitors and saves the time and hassle of having to disconnect devices like speakers and USB peripherals (scanners, printers, webcams etc.) in order to re-connect them to another computer. Using this convenient docking station makes it as simple as creating the single USB 2.0 host connection in order to access the connected peripherals.

## **Applications**

- Add video outputs to a laptop or small form factor computer without adding or replacing the video card
- Add video, USB, Ethernet and Audio from a single USB connection, without having to open the computer system





## **Features**

- External monitor connection via a VGA port
- Maximum VGA video resolution up to 1600x1200 at 32-bit color
- Speaker and Microphone support via 3.5mm stereo mini-jacks
- 10/100Mbps RJ-45 Ethernet port
- Built-in 4-port USB 2.0 hub
- High Speed USB 2.0 compliant with transfer rates up to 480Mbps
- Small, portable form factor
- Includes a universal power adapter with power connectors for North America, United Kingdom, and Europe



## **Technical Specifications**

Warranty 2 Years Audio Yes

Chipset ID SMSC - LAN9500

Trigger - UV-185CB-128

Connector Type(s) 1 - RJ-45 Female

Connector Type(s) 1 - USB Mini-B (5 pin) Female

Connector Type(s) 1 - VGA (15 pin; High Density D-Sub) Female

Connector Type(s) 2 - 3.5 mm Mini-Jack (3 Position) Female

Connector Type(s) 4 - USB A (4 pin) Female Maximum Data Transfer Rate LAN Port - 10/100Mbps

USB Hub - 480Mbps

Maximum Analog Resolutions 1600x1200 @ 32 bits

OS Compatibility Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64)

Color Black Enclosure Type Plastic

Product Length 8 in [203 mm]

Product Width 2.7 in [69.8 mm]

Product Height 0.8 in [19.1 mm]

Product Weight 7.6 oz [214 g]

Power Source AC Adapter Included

Input Voltage 115 ~ 230 AC

Output Voltage 5 DC
Output Current 3A

Center Tip Polarity Positive

Plug Type M

Shipping (Package) Weight 1.7 lb [0.8 kg]
Included in Package 1 - USB VGA Dock
Included in Package 1 - USB Cable

Included in Package 1 - EU Power Adapter Plug
Included in Package 1 - NA Power Adapter Plug
Included in Package 1 - UK Power Adapter Plug
Included in Package 1 - Universal Power Adapter

Included in Package 1 - Driver CD

Included in Package 1 - Instruction Manual





**Certifications, Reports and Compatibility** 









