



StarTech ID: RK619WALLOH



The RK619WALLOH 6U 22in Depth Hinged Open Frame Wall Mount Server Rack lets you wall mount your (19-inch wide) servers, A/V or network equipment and features a hinged rack design that allows the entire frame to swing open for easy installation and maintenance of your equipment.

The 6U wallmount rack offers a 4 post design for additional support of your equipment, storing a maximum weight capacity of 49.8 kg (110 lbs). Constructed of high-quality SPCC cold-rolled steel for strength and durability, the open frame wallmount server rack allows for maximum airflow, and ships complete with all of the rack screws and cage nuts required to mount your equipment, saving the expense of purchasing them separately.

Backed by a StarTech.com Lifetime warranty.

Applications

- Perfect for installing network switches out of the way and high up on a wall in a branch office, warehouse, or superstore location
- Ideal for small and medium businesses requiring small rack solutions dispersed throughout the organization
- Mount Audio/Video broadcast or distribution components





Features

- 6U Hinged Wall Mount Rack
- Hinged design for easy access to rear panels
- 4 Post design for added stability
- Open frame design provides additional airflow
- · Package includes all necessary screws/nuts for mounting rack equipment
- Sturdy SPCC cold-rolled steel construction

Technical Specifications

Warranty Lifetime
Rack Type 4-Post
U Height 6U

Frame Type Open Frame

Wallmountable Yes
Front Door Type Open
Key Lock No

Industry Standards EIA RS310-D

Fan(s) No

Weight Capacity 110 lb [49.8 kg]

Color Black Enclosure Type Steel

External Width 23.8 in [604 mm]
External Height 16.1 in [408 mm]
External Depth 21.9 in [555 mm]
Product Weight 31.8 lb [14.4 kg]


Flat Pack No

Shipping (Package) Weight 36.1 lb [16.3 kg]

Included in Package 1 - Hinged Wall Mount Rack
Included in Package 24 - #10-32 UNF Panel Screws
Included in Package 24 - #10-32 UNF Cage Nuts

Included in Package 1 - Instruction Manual





Certifications, Reports and Compatibility





