

0

Models

V A 4 QN0001 K4 G B

Introduction

T V A 4QN 000 KM 4 - ( 3 N E 1 ) G ( UP  
T 0 3 . T B . 3 D

Performance and Features

T 4 Q000 M . HP 1  
T 4 Q 000 KM A C U D 0 6 4 G GDDR 5AB  
4 000 KM .

Compatibility

S HP . 1

Service and Support

T V A 4 QN0001 KM- 4 , 2 ,  
T - T .



	T	S
Form Factor	T	O M3M . 8) O( B 5 1
Graphics Controller	4	- 000 N E M1 H
Bus Type		O M3M .
Memory	4	G G - B, 8DB /5 5 8 9 , G B
Connectors		O O M3M . 8 - ( 2 5
Maximum Resolution		I : 1 - I 04 D 2 5 1 - E D D0 :00 2 6 5 1
RAMDAC	A	N
Image Quality Features		C 0 - ) B ( , - 4 - 6 A - MG 4VPE, MHD VPE, HD D I M ,6 HD 9 0 8 1 2 4 6 2H A T -5 8 CE2 C C R1B E B A V A V N IDI D C O 3 . S O M . 5 9 6 4 - 000 IEEE 32 - 2 6 0 D . , 0 M1 4. 0 G5 . L 1 A C V A PA A CN ID C D CU ,DJ ++C 0 . , 8 - 3 4 2 6 - 73 4 2 6 S S U EL E D 11 HPL I K S / / . . V A HP N IDI Power Consumption 00 1

	C O	2- 2	H	1 P	D C	, . . LP
T				HP		
	.	N				HP
	T					