

## Cisco 8700 Watt Enhanced AC Power Supply for Cisco Catalyst 6500 Series Switches

PB383555

Cisco®

• Remote power restart using external relay controller: Remotely power cycle or shut down the Cisco Catalyst 6500 Series Switch using any appropriate third-party relay controller

For more information about the Cisco 8700W enhanced AC power supply, visit the 8700W enhanced AC power supply datasheet

http://www.cisco.com/en/US/prod/collateral/modules/ps7189/ps7195/product\_data\_sheet0900aecd 8059a1ef.html or contact your local account representative.



Americas Headquarters Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA www.cisco.com Tel: 408 526-4000 800 553-NETS (6387) Fax: 408 527-0883

Asia Pacific Headquarters Cisco Systems, Inc. 168 Robinson Road #28-01 Capital Tower Singapore 068912 www.cisco.com Tel: +65 6317 7777 Fax: +65 6317 7779 Europe Headquarters
Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tei:+31 0 800 020 0791
Fax:+31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet. BPX. Catalyst, CCDA, CCDR, CCIE, COIP, CCNA, CCNP, CCSR, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems,

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0701R)

Printed in USA C25-383555-00 01/07